T N	TT!4. 1	Coord Tout	DB	Time sterre
L Number	Hits 88	Search Text checkpoint\$ and router and @pd<20000229	USPAT;	Time stamp 2003/12/04 08:37
-	88	checkpoints and router and wpa-20000229	US-PGPUB;	2003/12/04 08:3/
			IBM_TDB	
	358	router and @pd<20000229 and monitor and 709/\$.ccls.	USPAT;	2003/12/04 08:42
-	338	Touter and (a)pa-20000229 and monitor and 70975.com.	US-PGPUB;	2003/12/04 00.42
			IBM_TDB	
	26	checkpoint\$ and router and @pd<20000229 and monitor and 709/\$.ccls.	USPAT;	2003/12/04 11:50
	20	checkpoints and router and toppe 20000227 and monitor and 70574.0013.	US-PGPUB;	200011210111100
1			IBM_TDB	
_	351	router and @pd<20000229 and (traffic or network) and monitor and	USPAT;	2003/12/04 08:42
ļ <sup>-</sup>	55.	709/\$.ccls.	US-PGPUB;	
		10774.00.55	IBM_TDB	
-	201	router and @pd<20000229 and (traffic or (network adj activity)) and	USPAT;	2003/12/04 08:43
		monitor and 709/\$.ccls.	US-PGPUB;	
			IBM_TDB	
-	55	router and @pd<20000229 and (traffic or (network adj activity)) same	USPAT;	2003/12/04 08:48
		monitor and 709/\$.ccls.	US-PGPUB;	
			IBM_TDB	
-	19	router and @pd<20000229 and (traffic or (network adj activity)) same	USPAT;	2003/12/04 08:53
		monitor and 709/224.ccls.	US-PGPUB;	!
			IBM_TDB	
-	13	router and @pd<19990229 and (traffic or (network adj activity)) same	USPAT;	2003/12/04 08:53
		monitor and 709/224.ccls.	US-PGPUB;	
			IBM_TDB	2002/12/04 00 50
-	17	router and @pd<19990229 and (traffic or (network adj activity)) same	USPAT;	2003/12/04 08:59
.		monitor and (709/224,223).ccls.	US-PGPUB;	
		10.1.100000000 1	IBM_TDB	2002/12/04 00:02
-	146	router and @pd<19990229 and remote and download	USPAT; US-PGPUB;	2003/12/04 09:02
			IBM_TDB	
	20	firewall same router and @pd<19990229	USPAT;	2003/12/04 09:11
-	29	Threwall same router and @pd~19990229	US-PGPUB;	2005/12/04 05:11
	!		IBM_TDB	
	0	firewall same router and fault adj tolerant and @pd<19990229	USPAT;	2003/12/04 09:04
-		The wall saine router and laure and total and top a service	US-PGPUB;	
			IBM_TDB	
1_	0	firewall same router and (fault adj tolerant) and @pd<19990229	USPĀT;	2003/12/04 09:04
1	-	, , ,	US-PGPUB;	
			IBM_TDB	
-	0	firewall same router and (redundent) and @pd<19990229	USPAT;	2003/12/04 09:04
			US-PGPUB;	
]			IBM_TDB	
1-	0	firewall same router and (resilent) and @pd<19990229	USPAT;	2003/12/04 09:04
1			US-PGPUB;	
		- N - 1/4 1 N 10 1410000000	IBM_TDB	2002/12/04 10:22
-	24	firewall same router and (store or log) and @pd<19990229	USPAT;	2003/12/04 10:32
]			US-PGPUB;	
]	530	managed and download and @nd<10000220	IBM_TDB   USPAT;	2003/12/04 10:32
1-	529	managed and download and @pd<19990229	USPAT; US-PGPUB;	2003/12/04 10.32
			IBM_TDB	
1_	120	managed and download and recover and @pd<19990229	USPAT;	2003/12/04 10:32
-	120	managed and downtood and recover and topa (17770227	US-PGPUB;	
			IBM_TDB	!
_	21	managed and download and recover and disconnect and @pd<19990229	USPAT;	2003/12/04 11:20
	]	<u> </u>	US-PGPUB;	
			IBM_TDB	
-	18	manage\$ same download and recover and disconnect and	USPAT;	2003/12/04 11:21
		@pd<19990229	US-PGPUB;	
1			IBM_TDB	
-	3	checkpoint\$ and firewall and @pd<20000229 and monitor and	USPAT;	2003/12/04 11:51
		709/\$.ccls.	US-PGPUB;	
			IBM_TDB	

		<del>-</del>		
-	8	checkpoint\$ and firewall and @pd<20000229 and monitor	USPAT; US-PGPUB; IBM TDB	2003/12/04 13:54
-	29	"4714992"   "4714996"   "4866611"   "4875159"   "4897781"   "5113519"   "5115504"   "5155847"   "5341477"   "5377329"   "5388255"   "5408619"   "5434994"   "5471629"   "5473772"   "5491820"   "5574906"   "5581764"   "5586322"   "5606705"	USPAT	2003/12/04 12:02
-	157158	"5619716"   "5628005"   "5634052"   "5713017").PN. checkpoint\$ and firewall and session and key @pd<20000229 and monitor	USPAT; US-PGPUB; IBM TDB	2003/12/04 13:54
-	2	checkpoint\$ and firewall and session and key and @pd<20000229 and monitor	USPAT; US-PGPUB; IBM TDB	2003/12/04 13:54
-	1	checkpoint\$ and firewall and session with key and @pd<20000229 and monitor	USPAT; US-PGPUB; IBM TDB	2003/12/04 13:55
-	4	store same server and firewall and session with key and @pd<20000229 and monitor	USPAT; US-PGPUB; IBM TDB	2003/12/04 13:57
-	1	store same server and firewall and session with key and @pd<20000229 and monitor and "one time pad"	USPĀT; US-PGPUB; IBM TDB	2003/12/04 13:58
-	0	store same server and firewall and session with key and @pd<20000229 and monitor and "random number"	USPĀT; US-PGPUB; IBM TDB	2003/12/04 13:58
-	3	store same server and firewall and session with key and @pd<20000229 and "random number"	USPAT; US-PGPUB; IBM TDB	2003/12/04 14:00
-	2	store same server and firewall and router and session with key and @pd<20000229 and "random number"	USPAT; US-PGPUB; IBM_TDB	2003/12/04 16:00
-	2	(store or save) same server and firewall and router and session with key and @pd<20000229 and "random number"	USPAT; US-PGPUB; IBM_TDB	2003/12/04 16:00